

# Pacific Pink salmon – Advice note: July 2017



## Background

In recent weeks, anglers in Scotland (Rivers Ness, Dee and Helmsdale) have reported several captures of fresh run non-native Pink Salmon (*Oncorhynchus gorbuscha*). Some captures have also been reported in the salmon net fishery operating off the North-east coast of England, and in Ireland. These fish are 'strays' and likely to have originated from some of the rivers in northern Norway. These fish were originally introduced to some Russian rivers in the 1960s, have since spread westwards and have now colonised some northern Norwegian rivers. These fish spawn at a different time from Atlantic salmon, have a 2-year lifecycle and generally spawn in summer (and often in main river channels, in the lower reaches of rivers, and sometimes in upstream tributaries). Whilst it is theoretically possible that these non-native species could establish themselves in Scottish rivers, the higher water temperatures make this unlikely. Whilst the risks are not known, in terms of their interaction with Atlantic salmon and other native Scottish fish, they are unlikely to have a positive impact.

## Identification

Pacific pink salmon, when fresh from the sea, are steel blue to blue-green on their backs, silver on the flanks and white on their bellies. There are large black spots on the backs, upper flanks, adipose fins and tail – some of the spots on the tail can be as large as the fish's eyes. They are very uniform in size, reaching only 40 to 60cms in length.



**'Fresh run' pink salmon.**

**Note shape of tail, spots on tail and dark mouth.** *Images courtesy of Ness DSFB and Peter Quail*



Breeding males are immediately identifiable because of their humps and they will almost certainly be running milt at this time of year. Their black tongues and heavily spotted tails are also very obvious. Females will show heavily spotted tails and be pinkish-brown on the flanks.



**Pink salmon in breeding colouration – note the shape of body and heavily spotted tail.** *Images courtesy of Ronald Campbell, The Tweed Foundation*

## **What should anglers do if they capture a pacific salmon?**

As above, Pacific pink salmon are usually clearly identifiable from their Atlantic counterparts – particularly when mature and in spawning condition. If you are confident that you have captured a pacific pink salmon, it should be humanely despatched and retained. It would be helpful if captures are reported to the Cromarty Board. If it is practical to do so, please pass the fish to the relevant personnel at the DSFB or trust for further inspection and analysis.